



Manufacturer	Ricoh	Konica Minolta
Family	MFP	MFP
Model	Aficio MP 3500 SPF	bizhub C353
Image		
OEM	Ricoh	Konica Minolta
Sold US	\$11,715.00	\$12,965.00
Sold UK	No	£0.00
Sold CA	\$0.00	\$13,320.00
Also Sold As	Ricoh Aficio MP 3500 SPF, Savin 8035e SPF, Gestetner DSm735e SPF	
Launch Date	January 2007	October 2007
Preliminary	No	No
Comments		Standard Emperon Print System (1 GHz, PCL6, PS3, 10/100/1000 BaseT), 1,024 MB RAM (shared), 60GB hard disk drive (shared), Auto Duplex. Options: 100-sheet Auto Document Feeder, 2,500-sheet Large Capacity Tray, Paper Cabinet (2 x 500 sheets), Base Finisher (required for Mailbin Kit, Output Tray, Punch Kit and Saddle Stitcher Kit), Hole Punch Kit for Modular Finisher, Mailbin Kit (4 bins), Booklet Finisher, Punch Kit for Booklet Finisher; Reversing Automatic Document Feeder, Scan Accelerator Kit, USB Host Kit, Banner Set Guide; Security Options: Biometric Authentication Unit, HDD Encryption Kit; Fax Options: Super G3 Fax board, Fax Multi-Line, Fax Stamp Kit.
Discontinued	No	No

Multifunctionality	Aficio MP 3500 SPF	bizhub C353
Copier	Std	Standard
Printer	Std	Standard
Fax	Std	Optional
Scan To Email	Std	Standard
Scan To File (via FTP)	Std	Standard
Scan To PC (via SMB)	Std	Standard
Color Output	No	Standard
Comments		Additional Scan Functions Available: Scan-to-HDD (User box), Scan-to-USB, Scan-to-WebDAV, Network TWAIN, WS-Scan.
Advertised Speeds & Volumes	Aficio MP 3500 SPF	bizhub C353
Maximum Monthly Volume (Europe)		Info Not Available
Maximum monthly volume (USA)	80,000	100,000
Overall Size	Floor Standing	Floor Standing
PPM (Black)	35	35
PPM (Color)		35
1st Page Out Mono/Color (sec)	4.3/NA	5.9 / 8.5
Warm Up (sec)	15	30 B&W/41 Color
Comments		DIMENSIONS (W X D X H): 25.25" x 33.5" x 30.25"; Power Requirements/Consumption: 120V, 60Hz / Less than 1.5kW; Weight: 218 lb.
Paper Handling	Aficio MP 3500 SPF	bizhub C353
Maximum Paper Size (Bypass)	A3 / 11 x 17	A3/12 x 18
Maximum Paper Size (Cassettes)	A3 / 11 x 17	A3/12 x 18 (via tray 2)

Total Sheets Standard	1,050	1,150
Maximum Paper Supply	3,550	3,650
Maximum Sheet Capacity (8 1/2 X 11/A4)	3,550	3,650
Maximum Sheet Capacity (8 1/2 X 14)	2,050	2,150
Maximum Ledger/A3 Capacity	2,050	2,150
Total Paper Trays Standard (includes bypass)	3	3
Total Paper Trays Maximum (includes bypass)	6	5
Maximum Paper Weight via bypass gsm/lb	163/44	271/100 Cover
Maximum Paper Weight via main tray gsm/lb	105/28	253/140 Index
Auto Duplex Unit(ADU)	Std	Standard
Maximum Num. Output Areas	3	7
Finisher/Sorter	Opt	Optional
Sheets Stapled	30/50	50
Hole Puncher	Opt	Optional - 2/3 or 2/4
Saddle Stitch Finisher	Opt	Optional
Saddle Stitch Capacity (Sheets Folded)	15	15 sheets (60-Page Booklet) w/ Booklet Finisher
Guillotine/Trimmer	No	No
Folding	No	Yes- Crease Fold w/Saddle Stitch Kit + Complete Fold w/ Booklet Finisher
Post-Process Inserter	No	No
Subset Staple Finishing	Info Not Available	Info Not Available
DFA Compliant	N/A	No
UP3I Compliant	N/A	No
Comments	Standard 50-sheet bypass. Options Include: 2 x 500-sheet paper bank (\$1495-U.S. / #1330-U.K.), 1500-sheet Large Capacity Tray (8.5 x 11/A4 only - \$1495-U.S. / #1450-U.K.), 1000-sheet multi-position stapler finisher - SR790 (\$1410-U.S. / #), Multi-Tray Finisher - SR880 (\$2700-U.S. / #3250-U.K.), Booklet Finisher - SR890 (\$4300-U.S. / #5100-U.K.), Hole Punch Kit for SR880 finisher (\$765-U.S.).	Options: 2,500-sheet letter sized Large Capacity Tray, Dual Universal Paper Cabinet (2 x 500 sheets), Universal Paper Cabinet and Storage (1 x 500 sheets), Base Finisher, Saddle Stitcher and Hole Punch Kit for Base Finisher, Booklet Floor Finisher, Punch Kit for Booklet Floor Finisher, 4-bin Mailbin Kit, Job Separator, Additional Tray, Original Cover, Option Mount Kit.
Print	Aficio MP 3500 SPF	bizhub C353
Processor Speed	466 MHz	1 GHz
Printer Std/Max Memory	384MB/384MB+40GB HDD (shared)	1,024 MB (Shared)
Printer Hard Disk	Std	60 GB (Shared)
Parallel	Opt	No
10BaseT	Std	Standard
100BaseT	Std	Standard
1000BaseT	No	Standard
USB	Std., 2.0	Standard - 2.0
Token Ring	No	No
BlueTooth	Opt	No
802.11B/G	Y/N	N/N
1394 (FireWire)	Opt	No
802.16 (WiMax)	No	No
Protocols	TCP/IP, IPX/SPX, AppleTalk	TCP/IP, IPX/SPX, AppleTalk (EtherTalk)
Windows	Std	Standard
Linux	Std	Standard
MAC	Std	Standard
Unix	Std	No
Other Systems		
Maximum PostScript Driver Version	3	3
Maximum PCL Driver Version	6	6
Direct PDF Print	Yes w/opt. PS3	Standard
Native TIFF File Printing	No	Standard

Std Resident PCL/PS3 Fonts	35/136	80/137
Comments	Options Include: PostScript 3 Type 3045 (\$995-U.S. / #1400-U.K.).	Additional Protocols: LPR, SMB, LPD, Netware (4.x, 5,6), Pserver, Nprinter, NDPS, IPP1.1, SMTP, POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6, DPWS (WSD). Options include: USB Host Kit, Banner Set Guide.
Copy	Aficio MP 3500 SPF	bizhub C353
CPM Black	35	35
CPM Color		35
Copier Std/Max Memory	384MB/384MB+40GB HDD (shared)	1,024 MB (Shared)
Copier Hard Drive	Std	Standard -60 GB (shared)
Auto Document Feeder(ADF)	Std	Optional
Single Pass/Dual Pass ADF	Y/N	N/Y
ADF Sheets	80	100
ADF Originals per min. (600 dpi)		70 opm - Color, B&W
Maximum Original Size	A3 / 11 x 17	A3 / 11 x 17
Job Build	Info Not Available	Standard
Maximum Quantity Select	999	999
Variable Magnification	25-400 @ 1%	25-400 @ 0.1% increments
Number of Copy Reservations	10	Up to 61 jobs
Job Programs	Yes	Yes - Up to 30 jobs
Insert Front & Back Cover	Std	Standard
Chapters/Chapter Inserts	No	Standard
Booklet Making (imposition)	Std	Standard
Account Tracking/Billing Codes	Yes	Yes - 1000
Comments		Options include: Reversing Automatic Document Feeder, Scan Accelerator Kit.
Scan	Aficio MP 3500 SPF	bizhub C353
Maximum Scan Speed	52 ipm @ 200 dpi	70 opm - Color, B&W
Color Scan	Not supported	Standard
Batch Scanning/Job Build	Info Not Available	Standard
File Formats Supported	TIFF, PDF, JPEG	TIFF, PDF, Compact PDF, JPEG, XPS
Compact/Compressed PDF	Info Not Available	Std In Scan Option
Secure PDF	Info Not Available	Std In Scan Opt
Comments		Scan Speeds: Color: 70 opm (@ 300 dpi, letter), 50 opm (@ 600 dpi, letter), B&W: 70 opm (@ 300 dpi, letter), 55 opm (@ 600 dpi, letter); Scan Resolution: 200 dpi, 300 dpi, 400 dpi, 600 dpi.
Security	Aficio MP 3500 SPF	bizhub C353
Hard Drive Overwrite	Opt	Standard
LDAP Authentication	Yes	Yes
IP Filtering/MAC Filtering	Y/N	Y/N
Private/Secure Print	Std	Standard
IPv6	Y	Yes
Removable Hard Drive	Opt	No
Comments	Optional Unauthorized Copy Control, network authentication, VolatileMemorySecuritySystem (VMSS). VMSS and Removable Hard Drive options not available at time of launch.	Options include: Biometric Authentication Unit w/ required Working Table, Local Interface Kit (connection to Biometric unit and provides scan and print capabilities for USB thumb drive), HDD Encryption Kit.
Fax	Aficio MP 3500 SPF	bizhub C353
Modem BPS - std configuration	33600bps	33600bps
Modem Max BPS - via upgrade	33600bps	No
Fax Std/Max Memory	4 MB/28 MB	1,024 MB (Shared)
Memory Backup (hrs)	1 Hour	Yes
T37 (scan to email)	Std	Standard
T38 (fax to fax)	Std	No
2 Tel. Lines	Std	Optional
Compression Std.	JBIG	MMR/MR/MH/JBIG
JBIG	Std	Standard
Superfine/Ultra Fine	Std	Standard

Photo Mode	Info Not Available	Standard
ECM (Error Correction Mode)	Std	Standard
Dual Access	Std	Standard
Number of Redials		1-15 Minute Intervals: 1-7 times
Maximum TX Resolution (DPI)	400 x 400	up to 1,800 X 600
Flatbed Scanner	Info Not Available	Standard
Maximum Scan Width (inches)	11	12" x 18"
Fast Scan (secs)		< 3 secs.
Face-down Output	Info Not Available	Standard
Reception Collation	Info Not Available	Standard
Grayscale/Halftones		256
Auto Redial	Info Not Available	Standard
No. of One-Touch Dialing Keys	2,000	2,000
No. of Speed-Dialing Codes	2,000	2,000
Transmission Reservation	Info Not Available	Standard
Confidential Receive	Std	Standard
No. of Department Codes		1,000
F-Code/Security		Standard
Batch Transmission	Info Not Available	Standard
Verification Stamp	Info Not Available	Optional
Maximum Numbers Stored		2,000
Relay Broadcast Hub	Info Not Available	Standard
Substitute Reception	Std	Standard
Number of Program Keys		400
Broadcasting	Std	Standard
No of Broadcasting Locations	500	605
Polling	Std	Standard
No. of Polling Locations		Info Not Available
Use as PC Fax Modem	Info Not Available	Standard
Comments		Options: Super G3 Fax board, Fax Multi-Line, Fax Stamp Kit, Spare TX Marker Stamp.
Consumables - Service	Aficio MP 3500 SPF	bizhub C353
1 Piece Cartridge/Drum	No	No
Black Toner Yield per container (pages)	30,000 @ 6% (A4/letter)	26,000
Color Toner Yield per container (pages)		20,000
Drum Yield (pages)	300,000	120,000 (Black)/90,000 (Color) (Imaging Cartridge)
Developer Yield (pages)	300,000	Included in Imaging Cartridge
Fuser Yield (pages)	Info Not Available	400,000
Transfer Belt	Info Not Available	150,000
PM Cycle	150,000	Not Applicable

Copyright 2007 © BERTL, Inc. The material on this Web site is copyrighted by BERTL and is the sole property of BERTL. Duplication of this proprietary material or excerpts in any manner, whether printed or electronic (including but not limited to copying, faxing, scanning or use on a fax-back system), is illegal and strictly prohibited without written permission from BERTL. Violators will be prosecuted to the fullest extent of the law. To purchase reprints of any BERTL report or article, contact BERTL at 1 (732) 761-2311. BERTL, 200 Craig Road, Manalapan, NJ 07726 USA. Contact us at info@bertl.com.